




















Allen Electric Connector Sales, Inc.









MIL-DTL-38999 INSERT AND CONTACT IDENTIFICATION

INSERT ARRANGEMENT	SERVICE RATING	TOTAL CONTACTS	CONTACT SIZE			
			22D	20	16	12
8-98 9-98	I	3		3		
8-35 9-35	M	6	6			
10-5 11-5	I	4		4		
11-2	I	2			2	
11-4	I	5		5		
10-98 11-98	I	6		6		
10-99 11-99	I	7		7		
10-35 11-35	M	13	13			
12-3	I	3			3	
12-4 13-4	I	4			4	
12-8 13-8	I	8		8		
12-98 13-98	I	10		10		
12-35 13-35	M	22	22			
INSERT ARRANGEMENT	SERVICE RATING	TOTAL CONTACTS	CONTACT SIZE			
14-5 15-5	II	5			5	
14-15 15-15	I	15		14	1	
14-18 15-18	I	18		18		
15-19	I	19		19		
14-35 15-35	M	37	37			
14-97 15-97	I	12		9	3	
16-6 17-6	I	6				6
16-8 17-8	II	8			8	
16-26 17-26	I	26		26		
16-35 17-35	M	55	55			
16-99 17-99	I	23		21	2	
18-11 19-11	II	11			11	
INSERT ARRANGEMENT	SERVICE RATING	TOTAL CONTACTS	CONTACT SIZE			
18-28 19-28	I	28		26	2	





18-30 19-30	I	30		29	1	
18-32 19-32	I	32		32		
18-35 19-35	M	66	66			
18-45 19-45	M	67	67			
18-96	I	9				9
21-11	I	11				11
20-16 21-16	II	16			16	
20-24 21-24	I	24		24		
20-25 21-25	I	25		25		
20-27 21-27	I	27		27		
20-41 21-41	I	41		41		
20-39 21-39	I	39		37	2	
INSERT ARRANGEMENT	SERVICE RATING	TOTAL CONTACTS	CONTACT SIZE			
			22D	20	16	12
20-35 21-35	M	79	79			
21-75	M	4	#8 TWINAX			
22-21 23-21	II	21			21	
22-32 23-32	I	32		32		
22-34 23-34	I	34		34		
22-35 23-35	M	100	100			
22-36 23-36	I	36		36		
22-53 23-53	I	53		53		
22-55 23-55	I	55		55		
22-97 23-97	I	16			16	
22-29 23-99	II	11			11	
24-4 25-4	I	56		48	8	
24-19 25-19	I	19				19
INSERT ARRANGEMENT	SERVICE RATING	TOTAL CONTACTS	CONTACT SIZE			
			22D	20	16	12
25-20	N	30	3 #8 TWINAX			
			13 #16			
			4 #12 COAX			
			10 #20			
24-24 25-24	II	24			12	12
24-29 25-29	I	29			29	
24-35 25-35	M	128	128			
25-43	I	43		23	20	
25-46	I	46		40		
	I				4	
25-46	N	46	2 #8 COAX			



24-61	25-61	1.215	1.47	1.215	1.215	0.11	21	61	15-8	19-1
-------	-------	-------	------	-------	-------	------	----	----	------	------

For pricing and availability, please fill out our RFQ form



If you need any other information, please **E-Mail** aecs@aecsinc.com

phone (703) 425-3815 fax (703) 425-3814

We look forward to hearing from you!

SHELL SIZE	A MAX	B ±.005	C ±.035	D ±.005	E MAX	F -0.02	G +0.11	J
10	8.4	7.9	585	120	1.215	446	062	58 24 UNEF
12	1.047	8.2	564	120	1.215	446	062	58 20 UNEF
14	1.111	9.06	563	120	1.215	446	062	58 20 UNEF
18	1.298	1.002	1.235	120	1.215	446	062	58 16-18 UNEF
20	1.448	1.100	1				1	27 13/16-18 UNEF
22	1.578	1.200	1				1	27 15/16-18 UNEF
24	1.708	1.375	1				1	27 17/16-18 UNEF



A Woman Owned Small Business, CAGE Code 07BG6

Copyright 2008 Allen Electric Connector Sales, Inc. All Rights Reserved.